

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-13 (Canceled)

Claim 14 (New) A portable rechargeable electric light comprising:
a first housing;
a rechargeable power supply disposed in said first housing;
a light source coupled to said rechargeable power supply; and
an AC-to-DC converter disposed within said first housing and being coupled to the rechargeable power supply, the AC-to-DC converter including an AC connector arranged for being connected to an external power cord for delivering AC power to the AC-to-DC converter for recharging the rechargeable battery.

Claim 15 (New) The portable light according to claim 14, wherein the AC-to-DC converter includes a second housing and AC to DC converter circuitry disposed within the second housing.

Claim 16 (New) The portable light of claim 14, wherein the AC connector comprises prongs.

Claim 17 (New) The portable light of claim 15, wherein the AC-to-DC converter circuit and prongs comprises a wall cube.

Claim 18 (New) The portable light of claim 16, wherein the second housing meets UL standard 1310.

Claim 19 (New) The portable light of claim 16, wherein the second housing meets UL standard 94 V1.

Claim 20 (New) The portable light of claim 14, further comprising a handle having a first end and a second end, the second end being pivotably coupled to the first housing.

Claim 21 (New) The portable light of claim 20, wherein the light source is disposed on the handle.

Claim 22 (New) The portable light of claim 21, wherein the handle with said light source are pivotable between a raised position and a lowered position relative to the first housing.

Claim 23 (New) The portable light of claim 16, wherein the first housing substantially encloses the second housing.

Claim 24 (New) The portable light of claim 16, wherein the second housing substantially encloses said AC-to-DC converter circuit.

Claim 25 (New) A rechargeable light source, comprising:
a first housing defining a cavity therein;
a rechargeable power supply disposed in the cavity;
a light source selectively coupled to the rechargeable power supply; and
an AC-to-DC adapter disposed in the cavity and coupled to the rechargeable power supply, the AC-to-DC adapter including a second housing and converter circuitry.

Claim 26 (New) The light source of claim 25, wherein the first housing substantially encloses the second housing.

Claim 27 (New) The light source of claim 25, wherein the AC-to-DC adapter comprises a wall cube.

Claim 28 (New) The light source of claim 25, wherein the second housing meets UL standard 1310.

Claim 29 (New) The light source of claim 25, wherein the second housing meets UL standard 94 V1.

Claim 30 (New) The light source of claim 25, further comprising:
a handle having a first end and a second end; and
a pivot coupling joining said second end of handle to said housing so that the handle can be pivoted between at least one raised position and a lowered position relative to the first housing.

Claim 31 (New) The light source of claim 30, wherein the pivot coupling further comprises a lock, the lock being configured to lock the handle in the at least one raised position and in the lowered position.

Claim 32 (New) The light source of claim 31, wherein the lock comprises a spring lock pressure mechanism.

Claim 33 (New) The light source of claim 30, wherein the light source is disposed on the handle.

Claim 34 (New) The light source of claim 25, further comprising a second light source disposed on the housing.

Claim 35 (New) The light source of claim 25, further comprising a switch arranged on the handle, the switch making and breaking a connection between the light source and the power supply.

Claim 36 (New) The light source of claim 32, further comprising a locking mechanism disposed on the handle, the locking mechanism for being actuated by a user to interact with the switch to lock the switch in an on position.